



EBERHARD®

HIGH SECURITY



SINGLE BITTED



MINI



WEATHER-RESISTANT



CAM LOCKS *PRODUCT CATALOG 2020*

OUR FEATURED BRANDS **Sesamee®** **CCP**
Security Products

EBERHARD MANUFACTURING

Established in 1877, The Eberhard Manufacturing Company is a global leader in the engineering and manufacturing of access & security hardware. We have a standard product line of rotary latches, compression latches, draw latches, hinges, cam locks, key switches, padlocks, and handles to name a few. We also offer full development and program management services for custom electromechanical and mechanical systems designed for specific OEM's and customer applications. Our products are found in an expansive range of applications and products globally, virtually unnoticed in our everyday lives. Typically, you are never more than 6 feet from one of our solutions.

The Eberhard Manufacturing Company is a registered ISO9001:2015 and ISO14001:2015 company based in Strongsville, Ohio. Our core manufacturing capabilities are in die-casting, injection molding, stamping, machining and final assembly. Our passion for engineering drives us forward. Developing new products to meet our customer's design challenges is our main objective. Adding haptics and functionality to our products ultimately supports our customer's brand equity and increases the value of their end products.

Eberhard is a division of The Eastern Company (Nasdaq stock ticker EML).

LOCATIONS

USA

Corporate/Manufacturing

Eberhard Manufacturing Company
21944 Drake Road
Strongsville, OH 44149-9712

Sales & Engineering

Eberhard Manufacturing Company
3930 N Ventura Drive
Arlington Heights, IL 60004

CHINA

Manufacturing

Eberhard – Dongguan
Building 13, No. 199 Pulong Road, Tangxia Town
Shenzhen Shi Guangdong Sheng Dongguan City,
Guangdong Province 523719, China

Manufacturing

Eberhard – Eastern Industrial, Ltd. (Shanghai)
20 Lane 2248 Liuxiang Road
Shanghai, China 201801

MEXICO

Manufacturing

Eberhard – Reynosa
Villas del Parque, 88780 Reynosa,
Tamaulipas, Mexico

650 | 651 SERIES CAM LOCK

SINGLE-BITTED CAM LOCK

PART #	KEYED	LENGTH (B)	LOCK SERIES	SHELF PACK	MASTER CARTON
65102	KA-8025	.438"	C651XS	25	200
65004	KA-8025	.625"	C650S	25	200
65005	KA-8025	.875"	C650M	25	200
65006	KA-8025	1.125"	C650L	25	200
65104	KA-CH751	.438"	C651XS	25	200
65010	KA-CH751	.625"	C650S	25	200
65011	KA-CH751	.875"	C650M	25	200
65012	KA-CH751	1.125"	C650L	25	200
65101	KA-C415A	.438"	C651XS	25	200
65001	KA-C415A	.625"	C650S	25	200
65002	KA-C415A	.875"	C650M	25	200
65003	KA-C415A	1.125"	C650L	25	200
65103	KD-700-724	.438"	C651XS	25	200
65007	KD-700-724	.625"	C650S	25	200
65008	KD-700-724	.875"	C650M	25	200
65009	KD-700-724	1.125"	C650L	25	200

- 90°/180° CW/CCW rotation
- Spline filler included
- One or two key pulls
- Two keys included
- Five tumbler

MATERIAL & FINISH:




Lock: Zinc die cast construction; Bright Chrome finish

Cam: Zinc plated


APPLICATIONS:

General | Kiosks | Furniture | Storage | Industrial | Point of Sale


INCLUDED HARDWARE: 650 and 651 series



650 Series



651 Series




Mounting Hole both 650 and 651 series



65101

65003



157 SERIES CAM LOCK

SINGLE-BITTED CAM LOCK

PART #	LENGTH (B)	KEYED	KEYWAY	KEY BLANK PN	SHELF PACK	MASTER CARTON
00218	.625"	KD AUE	JVR - 6 Disc	414K342515	25	200
00219	.625"	KA CAT30	JVR - 5 Disc	414K332515	25	200
00220	.625"	KD	JVR - 6 Disc	414K342515	25	200
02654	.625"	MKY M8003(KD)	KS (primary) - 6 Disc KM (master) - 6 Disc	263K272518 (primary) 263K272517 (master)	25	200
02656	.625"	KA CAT60	JVR - 5 Disc	414K332515	25	200
02659	.625"	KA CAT60	JVR - 5 Disc	414K332515	25	200
02660	.813"	KA CAT30	JVR - 5 Disc	414K332515	25	200
02661	.813"	KA CAT30	JVR - 5 Disc	414K332515	25	200
02665	1.25"	MKY M8003(KD)	KS (primary) - 6 Disc KM (master) - 6 Disc	263K272518 (primary) 263K272517 (master)	25	200
02908	1.25"	KA CAT30	JVR - 5 Disc	414K332515	25	200

- 90°/180° CW/CCW rotation
- When Masterkeyed, 180 primary key changes available
- Spline filler included
- One or two key pulls
- Two keys included
- Five tumbler



MATERIAL & FINISH:

Lock: Zinc die cast construction; Satin Chrome finish



Cam: Zinc plated

APPLICATIONS:

General | Kiosks | Furniture | Storage | Industrial | Point of Sale



INCLUDED HARDWARE:




02665, 02908

510 SERIES CAM LOCK

TUBULAR CAM LOCK

PART #	KEYED	LENGTH (B)	SHELF PACK	MASTER CARTON
51001	KA-A0001	.438"	25	100
51004	KA-A0004	.438"	25	100
51000	KD	.438"	25	100
51011	KA-A0001	.719"	25	100
51014	KA-A0004	.719"	25	100
51010	KD	.719"	25	100
51021	KA-A0001	.906"	25	100
51024	KA-A0004	.906"	25	100
51020	KD	.906"	25	100
51031	KA-A0001	1.125"	25	100
51034	KA-A0004	1.125"	25	100
51030	KD	1.125"	25	100



- 90°/180° CW/CCW rotation
- One or two key pulls
- Two keys included
- Seven tumbler






MATERIAL & FINISH:

Lock: Zinc die cast construction; Brass spindle; Bright Chrome finish
 Cam: Zinc plated

APPLICATIONS:

General | Kiosks | Appliances | Storage | Industrial | Point of Sale

INCLUDED HARDWARE:



51011, 51014

610 SERIES CAM LOCK

PLASTIC CAM LOCK

PART #	KEYED	LENGTH	FINISH	SHELF PACK	MASTER CARTON
61004	KA-750	.875"	BLACK	75	300
61005	KA-750	.625"	BLACK	75	300
61036	KD	1.125"	BLACK	50	200
61044	KD	.875"	BLACK	50	200
61045	KD	.625"	BLACK	50	200
61006	KA-750	1.125"	CHROME	50	200

- 90° CW rotation
- Plastic
- Two key pulls
- Two keys included
- Five tumbler


MATERIAL & FINISH:

Lock: Zinc die cast construction; Chrome or Black finish


Cam: Zinc plated

APPLICATIONS:

General | Kiosks | Electronics | Storage | Industrial



INCLUDED HARDWARE:



NEW 63300 | 63301 SERIES CAM LOCK

HIGH SECURITY, DRILL-RESISTANT CAM LOCK

*1" size available by special order

PART #	KEYED	LENGTH	SHELF PACK	MASTER CARTON
63300	KD	.620"	25	100
63301	KA-GL249	.620"	25	100

- 90° CW rotation
- Two key pulls standard/One key pull special order
- Two keys included
- Eight tumbler, double bitted

MATERIAL & FINISH:


Lock: Zinc die cast construction;

Hardened Steel tumblers, Steel


Cam: Zinc plated

APPLICATIONS:

General | Gun Safes | Medical | Storage
Point of Sale | High Security



INCLUDED HARDWARE:



NEW

PIN ACTUATED LOCK CORE

WEATHER-RESISTANT PIN ACTUATED LOCK CORE

PART #	SHELF PACK	MASTER CARTON
FP662-Y-KD	100	400
FP662-Y-KA	100	400

- Compatible with popular bike and car top carriers
- Pin actuated
- Two keys included
- Six tumbler, double bitted

MATERIAL & FINISH:

Lock: Zinc die cast construction; Stainless Steel cap/dust shutter

Cam: Zinc plated

APPLICATIONS:

General | Kiosks | Storage | Industrial | Sport Rack | Vehicle | Cargo Box

**NEW**

T-BACK LOCK CORE

T-BACK STYLE LOCK CORE/WEATHER-RESISTANT LOCK CORE

PART #	SHELF PACK	MASTER CARTON
FP662-T-KD	100	400
FP662-T-KA	100	400

- Compatible with popular bike and car top carriers
- T-back actuated
- Two keys included
- Six tumbler, double bitted

MATERIAL & FINISH:

Lock: Zinc die cast construction; Stainless Steel cap/dust shutter

Cam: Zinc plated

APPLICATIONS:

General | Kiosks | Storage | Industrial | Sport Rack | Vehicle | Cargo Box







66200 | 66201 SERIES CAM LOCK

WEATHER-RESISTANT IP66 RATED CAM LOCK

PART #	KEYED	LENGTH	SHELF PACK	MASTER CARTON
66200	KA-D599	.680"	25	100
66201	KD	.680"	25	100




INCLUDED HARDWARE:




643 SERIES CAM LOCK

WEATHER-RESISTANT IP66 RATED CAM LOCK

PART #	KEYED	LENGTH	SHELF PACK	MASTER CARTON
64360	KD	.750"	25	100
64361	KA-2M199	.750"	25	100



INCLUDED HARDWARE:



- 90° CW/ CCW rotation
- Two key pulls
- Two over molded keys included
- Six tumbler, double bitted

MATERIAL & FINISH:

Lock: Zinc die cast construction;
 Stainless Steel cap/dust shutter
 Cam: Zinc plated

APPLICATIONS:

General | Kiosks | Medical | Outdoor
 Vehicle | Storage | Gas Pumps

- 180°CW rotation
- Two key pulls
- Two keys included
- 14 tumbler, triple bitted

MATERIAL & FINISH:

Lock: Zinc die cast construction;
 Stainless Steel cap/dust shutter
 Cam: Zinc plated

APPLICATIONS:

General | Kiosks | Outdoor | High Security
 Vehicle | Point of Sale

622 SERIES CAM LOCK

WEATHER-RESISTANT CAM LOCK

PART #	KEYED	LENGTH (B)	SHELF PACK	MASTER CARTON
62204	200R	.875"	25	200
62207	200R	.625"	25	200
62214	200R-399R	.875"	25	200
62217	200R-399R	.625"	25	200

- 90°/180° CW/CCW rotation
- 200 key codes
- Two key pulls
- Two reversible keys included
- Five tumbler



MATERIAL & FINISH:

Lock: Zinc die cast construction; Stainless Steel cap/dust shutter


Cam: Zinc plated

APPLICATIONS:

General | Kiosks | Medical | Outdoor | Vehicle | Storage



INCLUDED HARDWARE:




Cam Screw




180°
Stop Plate



90°
Stop Plate




Mounting Nut




Rubber Gasket




Trim Washer



1.313" x .875" Offset Cam



1.313" x .25" Offset Cam



2.75" Straight Cam





608 SERIES CAM LOCK

WEATHER-RESISTANT CAM LOCK

PART #	KEYED	LENGTH (B)	SHELF PACK	MASTER CARTON
60800	KD	.625"	25	100
60801	KA	.625"	25	100
60810	KD	.875"	25	100
60811	KA	.875"	25	100
60820	KD	1.125"	25	100
60821	KA	1.125"	25	100


- 90°/180° CW/ CCW rotation
- Spline filler included
- One or two key pulls
- Stainless Steel dust shutter
- Two keys included
- Five tumbler, single bitting

MATERIAL & FINISH:


Lock: Zinc die cast construction; Stainless Steel cap/dust shutter
 Cam: Zinc plated

APPLICATIONS:

General | Kiosks | Medical | Outdoor | Vehicle | Storage



INCLUDED HARDWARE:



60821

1091 SERIES CAM LOCK

MINI SINGLE-BITTED CAM LOCK

PART #	KEYED	LENGTH	SHELF PACK	MASTER CARTON
10911	KA-105	.625"	10	500
10910	KD	.625"	10	500


- 90° CW rotation
- Two key pulls
- Two keys included
- Four tumbler

MATERIAL & FINISH:


Lock: Zinc die cast construction; Bright Chrome finish
Cam: Zinc plated

APPLICATIONS:

General | Kiosks | Electronics | Furniture Storage | Industrial



INCLUDED HARDWARE:



10910, 10911

NEW 2095 SERIES CAM LOCK

PREMIER MINI CAM LOCK

PART #	KEYED	LENGTH	SHELF PACK	MASTER CARTON
20951	KA-E16	.625"	500	2000
20952	KD	.625"	500	2000


- 90° CCW rotation
- Internal o-ring
- Two key pulls
- Two reversible keys included
- Five tumbler

MATERIAL & FINISH:


Lock: Zinc die cast construction; Bright Chrome finish
Cam: Zinc plated

APPLICATIONS:

General | Kiosks | Medical | Electronics | Furniture Storage | Industrial



INCLUDED HARDWARE:



20951, 20952

520 SERIES MINI CAM LOCK

BRASS TUBULAR CAM LOCK

PART #	KEYED	LENGTH	SHELF PACK	MASTER CARTON
52001	KA-601	.625"	10	500
52020	KD	.625"	10	500

- 90° CW/CCW rotation
- One key pull
- Two keys included
- Four tumbler


MATERIAL & FINISH:

Lock: Brass construction; Bright Chrome finish


Cam: Zinc plated

APPLICATIONS:

General | Kiosks | Electronics | Furniture Storage | Industrial



INCLUDED HARDWARE:



52001, 52020

NEW ULTRA MINI TUBULAR CAM LOCK

BRASS TUBULAR CAM LOCK

PART #	KEYED	LENGTH (B)	SHELF PACK	MASTER CARTON
BC520XSKA-107	KA-1001	.30"	50	500

- 90° CW/CCW rotation options
- One or two key pulls
- Two keys included
- Four tumbler


MATERIAL & FINISH:

Lock: Brass construction; Bright Chrome finish


Cam: Zinc plated

APPLICATIONS:

General | Kiosks | Storage | Industrial



INCLUDED HARDWARE:



BC520XSKA-107

3091 | 3092 SERIES CAM LOCK

MINI WING AND SLOT CAM LOCK

PART #	LENGTH	SHELF PACK	MASTER CARTON
DSL3092L - CHROME	.625"	10	200
DSL3092L - BLACK	.625"	10	200
DSL3092L - NICKEL	.625"	10	200
DTL3091L - CHROME	.625"	10	200
DTL3091L - BLACK	.625"	10	200
DTL3091L - NICKEL	.625"	10	200

- Non-locking 90° CW rotation
- Easy operation using screwdriver or coin (DSL3092 series)
- Easy operation using thumb and finger (DTL3091 series)
- Internal o-ring
- Ball detent for haptic feedback
- Two key pulls
- Two keys included

MATERIAL & FINISH:






Lock: Zinc die cast construction; Chrome, Black or Nickel finish

Cam: Zinc plated

APPLICATIONS:

General | Kiosks | Electronics | Furniture | Storage | Industrial


INCLUDED HARDWARE:



390 SERIES CAM LOCK

DIAL COMBINATION CAM LOCK

PART #	KEYED	LENGTH (B)	FINISH	SHELF PACK	MASTER CARTON
39051	3 Dials	.75"	Chrome	25	100
39052	3 Dials	.938"	Chrome	25	100
39053	3 Dials	1.219"	Chrome	25	100
39021	3 Dials	.75"	Black	25	100
39022	3 Dials	.938"	Black	25	100
39023	3 Dials	1.219"	Black	25	100



- 90° CW/CCW rotation
- 1,000 potential codes
- Resettable combination
- Cam mountable every 45°



MATERIAL & FINISH:

Lock: Zinc die cast construction; Chrome plated or Black powder coat
 Cam: Zinc plated

APPLICATIONS:

General | Kiosks | Lockers | Storage | Industrial

INCLUDED HARDWARE:



39023



39051

MAILBOX LOCK

FITS STANDARD 4C MAILBOXES

PART #	KEYED	ROTATION	SHELF PACK	MASTER CARTON
82013	KD	CW	25	200
82014	KD	CCW	25	200

- 90° rotation
- Speed clip mounting
- Compatible with National D4292 or Ilco 1069LB key blanks
- Fits into latest application hole design
- One key pull
- Stainless Steel dust shutter
- 1,000 Key codes LS3000-LS3999
- Three keys included
- Five tumbler


MATERIAL & FINISH:

Lock: Zinc die cast construction;
 Stainless Steel cap/dust shutter; Bright Nickel finish
 Cam: Nickel plated steel





APPLICATIONS:

Mailboxes



MOUNTING HOLE: 82013, 82014



INCLUDED HARDWARE: 82013, 82014



82013



82014



82013

MAILBOX LOCK

INDOOR APPLICATION

PART #	KEYED	SHELF PACK	MASTER CARTON
82010	KD	25	200

- 90° CW rotation
- Nut or clip mounted
- Compatible with National D4292 or Ilco 1069LB key blanks
- 100 Key codes MB500-MB599
- One key pull
- Two keys included
- Five tumbler

MATERIAL & FINISH:








Lock: Zinc die cast construction; Bright Nickel finish

Cam: Zinc plated


APPLICATIONS:

Mailboxes

INCLUDED HARDWARE:



82010



MAILBOX LOCK

FITS NDCBU AND CBU APPLICATIONS

PART #	KEYED	SHELF PACK	MASTER CARTON
82011	KD	25	200

- 90° CW rotation
- Speed clip mounting
- Compatible with National D4292 or Ilco 1069LB key blanks
- 100 Key codes MB500- MB599
- One key pull
- Stainless Steel dust shutter
- Two keys included
- Five tumbler



MATERIAL & FINISH:

Lock: Zinc die cast construction;
 Stainless Steel cap/dust shutter; Bright Nickel finish
 Cam: Nickel plated steel


APPLICATIONS:

Mailboxes

INCLUDED HARDWARE: 82011



82011



Mounting Hole: 82011



82011

TERMS & CONDITIONS

Pricing. Prices and specifications are subject to change without notice and are valid only on the day the order is placed. Eberhard Website prices, e-mail offers and other advertisements are subject to correction. Published prices do not include shipping, sales tax and insurance. Proof of purchase and postage may be required for rebates.

Shipment. Delivery dates are estimates only and are based on manufacturer inventory and normal shipping conditions (shipping conditions and actual ship dates may vary). Shipping and handling charges will be added to the price of any products and/or services purchased by Internet Purchase Order via the Eberhard Website. Eberhard reserves the right to make partial shipments until a purchase order is shipped complete. Eberhard will notify you if products and/or services have been discontinued and/or are no longer available, and such products and/or services will be cancelled from pending purchase orders with a credit for any paid, but unshipped products and/or services.

Risk of Loss. All products and/or services purchased from the Eberhard Website are made pursuant to a shipment contract. This means that the risk of loss and title for such items pass to you upon Eberhard's delivery to the carrier, at Eberhard's shipping point. Eberhard will not be responsible for goods lost in transit. Purchaser is solely responsible for filing claims with the carrier for losses. Claims for shortages in shipment not chargeable to the carrier must be reported within ten (10) days from receipt of merchandise.

Eberhard Products and Services. Eberhard reserves the right to modify and/or discontinue products and/or services, at any time, and at Eberhard's sole discretion.

Return Policy. If you are not satisfied with your purchase and you return products within thirty (30) days of receipt, you may exchange the product or receive a refund or credit, according to this Return Policy, provided the returned products are in the same condition as the date shipped ("as new" condition), and returned in the original box and packaging, along with a copy of the Internet Purchase Order, shipping documents, proof of delivery, and any warranty cards. No Eberhard product or part can be returned for credit unless written authorization has been given in advance. Merchandise returned must be identified as to the original date of purchase, purchase order number, and shipper's name and address. Service and handling charge is 15% of net billing price, except in the case of defective parts. Any freight paid by Illinois Lock will be deducted from the amount of credit issued, except in the case of defective parts. Merchandise returned in unsaleable condition will not be acceptable. The return of obsolete, discontinued, modified or special parts is not permissible. Eberhard reserves the right to charge for all work completed or materials purchased when an order is canceled or reduced prior to shipment, where special or modified parts are involved. Eberhard reserves the right to assess an additional cancellation charge, other than the normal 15% handling charge, in the event the quantity canceled is in excess of our normal stock requirements. Prices are subject to change in the event purchaser receives original order quantity.

Limited Warranty. Eberhard strives to produce quality products at reasonable prices. If you are not satisfied with our product because of a defect, we will repair or replace the defective part or parts free of charge for a period of one year from the date of purchase. In the event you claim that the product contains a defect, simply notify Eberhard of the defect, and we will arrange for repair or replacement. The sole and exclusive remedy against Eberhard relating in any way to a product defect shall be the repair or replacement of defective parts as provided for under this LIMITED WARRANTY. No other remedy, including, but not limited to, incidental or consequential loss, is available. This LIMITED WARRANTY shall not be deemed to have failed of its essential purpose so long as Eberhard is willing and able to repair or replace defective parts in the manner prescribed in this LIMITED WARRANTY. Any action for breach relating to the sale of an Eberhard product must be commenced within one year after the cause of action has accrued. This LIMITED WARRANTY IS IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, AND ALL SUCH WARRANTIES ARE EXCLUDED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

CONVERSION CHARTS

FRACTION	INCHES	MM	FRACTION	INCHES	MM
1/32	.0312	0.79	17/32	.5312	13.49
1/16	.0625	1.58	9/16	.5625	14.28
3/32	.0937	2.38	19/32	.5937	15.08
1/8	.1250	3.17	5/8	.6250	15.87
5/32	.1562	3.97	21/32	.6562	16.66
3/16	.1875	4.76	11/16	.6875	17.46
7/32	.2187	5.55	23/32	.7187	18.25
1/4	.25	6.35	3/4	.75	19.05
9/32	.2812	7.14	25/32	.7812	19.84
5/16	.3125	7.93	13/16	.8125	20.63
11/32	.3437	8.73	27/32	.8437	21.43
3/8	.3750	9.52	7/8	.8750	22.22
13/32	.4062	10.31	29/32	.9062	23.01
7/16	.4375	11.11	15/16	.9375	23.81
15/32	.4687	11.90	31/32	.9687	24.60
1/2	.5	12.70	1	1.00	25.40

Equivalents:
 1 in = 2.54 cm
 1 cm = .3937 in

NB: All drawing measurements shown are to be used for reference only. Please contact your local Eberhard sales representative for detailed specification drawing if required.

TO CONVERT	INTO	MULTIPLY BY	TO CONVERT	INTO	MULTIPLY BY
FEET	INCHES	12	METERS	INCHES	39.37
FEET	MILLIMETERS	304.8	METERS	FEET	3.281
FEET	METERS	0.3048	MILLIMETERS	METERS	0.001
FOOT-POUNDS	NEWTON-METERS	1.356	MILLIMETERS	INCHES	0.03937
INCHES	MILLIMETERS	25.4	MILLIMETERS	FEET	0.003281
INCHES	METERS	0.0254	NEWTONS	KILOGRAMS (FORCE)	0.102
INCHES	FEET	0.08333	NEWTONS	POUNDS (FORCE)	0.2248
INCH-POUNDS	NEWTON-METERS	0.113	NEWTON-METERS	INCH-POUNDS	8.851
KILOGRAMS (FORCE)	NEWTONS	9.807	NEWTON-METERS	FOOT-POUNDS	0.7376
KILOGRAMS (MASS)	POUNDS (MASS)	2.205	POUNDS (MASS)	KILOGRAMS (MASS)	0.4536
METERS	MILLIMETERS	1000	POUNDS (FORCE)	NEWTONS	4.448

CONTACT US

21944 Drake Road | Strongsville, OH 44149-9712 | 800-334-6706
 eberhard.com | sales@eberhard.com



EBERHARD®

PRODUCT CATALOG 2020

21944 Drake Road | Strongsville, OH 44149-9712 | 800-334-6706 | eberhard.com | sales@eberhard.com | 8.20