

FAPID CAM™ Spring Bolt Cam Adapter RAPIDCAM315, RAPIDCAM350


- Illinois Lock's new RapidCam™ adapter converts standard cam locks, E901 Electronic Cam Locks. Handles, and Keyless Latches into selflocking latch bolt locks.
- Innovative RapidCam™ replaces the traditional steel cam and allows for slam shut feature when locked
- Reduces the risk of cam scratching the application when door is closed and in the locked position
- Simple, push to close and lock functionality
- Eliminates metal on metal (cam to metal application)
- Ends issue of cam bending on application frame when closed in locked position
- Material and Finish

Latch: PA66 + GF15% (Nylon 66, 15% glass filled)


Base: White POM+PTFE



REV 0 10/17/16



Part Number	Cam Boss Size	Screw Size
RAPIDCAM315	0.315	M4-0.7 x 20mm
RAPIDCAM350	0.350	1/4-28 x .750



Illinois Lock Company

A division of the Eastern Company

www.illinoislock.com • sales@illinoislock.com • 847-537-1800







FAPIDCAM™ Spring Bolt Cam Adapter RAPIDCAM315, RAPIDCAM350


- The removable tips allows for 1/8" and 1/4" adjustment to the locking point.
- To change tips see Fig. 1

Accessories









All In-Stock RapidCam™ kits supplied with the following hardware:

- [1] Flush Mount Tip
- [1] 1/8 Offset Tip
- [1] 1/4 Offset Tip
- [1] Mounting Screw w/lock washer
- [1] Strike w/mounting screws


In-Stock **RAPID**CAM[™] Options

In-Stock		
Stock ID	Cam Boss Size	
RAPIDCAM315	0.315	
RAPIDCAM350	0.350	



Application Information


- RAPIDCAM™ can be used in conjunction with products capable of 90 and/or 180 CW and CCW rotations.
- Bolt travel listed is consistent for all RAPIDCAM™ models.



RAPIDCAM SHOWN ON DC650S CAM LOCK

RAPIDCAM SHOWN ON DC695S CAM LOCK





• RAPIDCAM SHOWN ON E901 HORIZONTAL